Journal of MOLECULAR BIOLOGY

Editors in Chief
J. C. KENDREW S. BRENNER

Editors

P. Chambon
G. A. Gilbert
M. Gottesman
R. Huber
A. Klug
B. Mach
K. Matsubara
P. von Hippel

Associate Editors

C. R. Cantor
A. R. Fersht
I. Herskowitz
R. Laskey
V. Luzzati
B. Matthews
J. H. Miller
M. F. Moody

Volume 196

5 July to 20 August 1987

ACADEMIC PRESS

(Harcourt Brace Jovanovich, Publishers)

London Orlando San Diego New York
Toronto Montreal Sydney Tokyo

Copyright © 1987, by Academic Press Inc. (London) Ltd.

ALL RIGHTS RESERVED

No part of this volume may be reproduced in any form, by photostat, microfilm, or any other means, without written permission from the publishers.

Printed in Great Britain

Contents of Volume 196

Number 1, 5 July 1987

Donovan, W., Zheng, L., Sandman, K. and Losick, R., Genes Encoding Spore Coat Polypeptides from *Bacillus subtilis* 1

Cognet, M., Lone, Y. C., Vaulont, S., Kahn, A. and Marie, J., Structure of the Rat L-type Pyruvate Kinase Gene 11

Roberts, S. B., Sanicola, M., Emmons, S. W. and Childs, G., Molecular Characterization of the Histone Gene Family of *Caenorhabditis elegans* 27

Noirot, Ph., Petit, M.-A. and Ehrlich, S. D., Plasmid Replication Stimulates DNA Recombination in *Bacillus subtilis*. 39

Price, J. V., Engberg, J. and Cech, T. R., 5′ Exon Requirement for Self-splicing of the *Tetrahymena thermophila* Pre-ribosomal RNA and Identification of Cryptic 5′ Splice Site in the 3′ Exon 49

Levin, J. R. and Chamberlin, M. J., Mapping and Characterization of Transcriptional Pause Sites in the Early Genetic Region of Bacteriophage T7 61

Levin, J. R., Krummel, B. and Chamberlin, M. J., Isolation and Properties of Transcribing Ternary Complexes of *Escherichia coli* RNA Polymerase Positioned at a Single Template Base 85

Borowiec, J. A., Zhang, L., Sasse-Dwight, S. and Gralla, J. D., DNA Supercoiling Promotes Formation of a Bent Repression Loop in *lac* DNA 101

Campbell, D. A., Kubo, K., Clark, C. G. and Boothroyd, J. C., Precise Identification of Cleavage Sites Involved in the Unusual Processing of Trypanosome Ribosomal RNA . 113

Egebjerg, J., Leffers, H., Christensen, A., Andersen, H. and Garrett, R. A., Structure and Accessibility of Domain I of *Escherichia coli* 23 S RNA in Free RNA, in the L24–RNA Complex and in 50 S Subunits. Implications for Ribosomal Assembly . . 125

Lill, R. and Wintermeyer, W., Destabilization of Codon–Anticodon Interaction in the Ribosomal Exit Site 137

Kim, J. G., Takeda, Y., Matthews, B. W. and Anderson, W. F., Kinetic Studies on Cro Repressor–Operator DNA Interaction 149

Howlin, B., Harris, G. W., Moss, D. S. and Palmer, R. A., X-ray Refinement Study on the Binding of Cytidylic Acid (2′-CMP) to Ribonuclease A 159

Montag, D., Riede, I., Eschbach, M.-L., Degen, M. and Henning, U., Receptor-recognizing Proteins of T-even Type Bacteriophages. Constant and Hypervariable Regions and an Unusual Case of Evolution 165

Summers, N. L., Carlson, W. D. and Karplus, M., Analysis of Side-chain Orientations in Homologous Proteins 175

Bashford, D., Chothia, C. and Lesk, A. M., Determinants of a Protein Fold. Unique Features of the Globin Amino Acid Sequences 199

Letters to the Editor

Price, J. V., Origin of the Phosphate at the Ligation Junction Produced by Self-splicing of *Tetrahymena thermophila* Pre-ribosomal RNA. 217

Mettling, C., Giangrande, A. and Richards, G., The *Drosophila sgs3* Gene: an *in-vivo* Test of Intron Function 223

Wagner, G., Brühwiler, D. and Wüthrich, K., Reinvestigation of the Aromatic Side-chains in the Basic Pancreatic Trypsin Inhibitor by Heteronuclear Two-dimensional Nuclear Magnetic Resonance 227

Number 2, 20 July 1987

Misra, R., Shih, A., Rush, M., Wong, E. and Schmid, C. W., Cloned Extrachromosomal Circular DNA Copies of the Human Transposable Element THE-1 are Related Predominantly to a Single Type of Family Member 233

van het Schip, F. D., Samallo, J., Broos, J., Ophuis, J., Mojet, M., Gruber, M. and AB, G., Nucleotide Sequence of a Chicken Vitellogenin Gene and Derived Amino Acid Sequence of the Encoded Yolk Precursor Protein. 245

Gardiner-Garden, M. and Frommer, M., CpG Islands in Vertebrate Genomes . . 261

Hudson, G. S., Mason, J. G., Holton, T. A., Koller, B., Cox, G. B., Whitfeld, P. R. and Bottomley, W., A Gene Cluster in the Spinach and Pea Chloroplast Genomes Encoding One CF_1 and Three CF_0 Subunits of the H^+-ATP Synthase Complex and the Ribosomal Protein S2 283

Reines, D., Wells, D., Chamberlin, M. J. and Kane, C. M., Identification of Intrinsic Termination Sites *in Vitro* for RNA Polymerase II Within Eukaryotic Gene Sequences 299

Deckman, I. C., Draper, D. E. and Thomas, M. S., S4–α mRNA Translation Repression Complex. I. Thermodynamics of Formation 313

Deckman, I. C. and Draper, D. E., S4–α mRNA Translation Regulation Comples. II. Secondary Structures of the RNA Regulatory Site in the Presence and Absence of S4. 323

Thomas, M. S., Bedwell, D. M. and Nomura, M., Regulation of α Operon Gene Expression in *Escherichia coli*. A Novel Form of Translational Coupling . . . 333

Karnik, P., Taljanidisz, J., Sasvari-Szekely, M. and Sarkar, N., 3′-Terminal Polyadenylate Sequences of *Escherichia coli* Tryptophan Synthetase α-Subunit Messenger RNA 347

Tollervey, D., High Level of Complexity of Small Nuclear RNAs in Fungi and Plants . 355

Landick, R. and Yanofsky, C., Isolation and Structural Analysis of the *Escherichia coli trp* Leader Paused Transcription Complex 363

Allegra, P., Sterner, R., Clayton, D. F. and Allfrey, V. G., Affinity Chromatographic Purification of Nucleosomes Containing Transcriptionally Active DNA Sequences . 379

Oohara, I. and Wada, A., Spectroscopic Studies on Histone–DNA Interactions. I. The Interaction of Histone (H2A, H2B) Dimer with DNA : DNA Sequence Dependence . 389

Appendix: Multidimensional Spectroscopic Titration 395

Oohara, I. and Wada, A., Spectroscopic Studies on Histone–DNA Interactions. II. Three Transitions in Nucleosomes Resolved by Salt-titration. 399

Korszun, Z. R., The Tertiary Structure of Azurin from *Pseudomonas denitrificans* as Determined by Cu Resonant Diffraction Using Synchrotron Radiation . . . 413

Danish, E. H., Harris, J. W., Moore, C. R. and Krieger, I. M., Rheologic Behavior of Deoxyhemoglobin S Gels 421

Letters to the Editor

Arnold, G. E., Dunker, A. K. and Smerdon, M. J., Limited Nucleosome Migration can Completely Randomize DNA Repair Patches in Intact Human Cells . . 433

Avramova, Z. and Tsanev, R., Stable DNA–Protein Complexes in Eukaryotic Chromatin 437

Stoddard, B., Howell, L., Asano, S., Soda, K., Tanizawa, K., Ringe, D. and Petsko, G. A., Preliminary X-ray Data for a D-Amino Acid Amino-transferase from a Novel Thermophilic *Bacillus* 441

Erratum 443

Number 3, 5 August 1987

Matsutani, S., Ohtsubo, H., Maeda, Y. and Ohtsubo, E., Isolation and Characterization of IS Elements Repeated in the Bacterial Chromosome 445

de la Campa, A. G., Kale, P., Springhorn, S. S. and Lacks, S. A., Proteins Encoded by the *Dpn*II Restriction Gene Cassette. Two Methylases and an Endonuclease . . 457

Smith, V. L., Doyle, K. E., Maune, J. F., Munjaal, R. P. and Beckingham, K., Structure and Sequence of the *Drosophila melanogaster* Calmodulin Gene . . . 471

Pierson, L. S., III and Kahn, M. L., Integration of Satellite Bacteriophage P4 in *Escherichia coli*. DNA Sequences of the Phage and Host Regions Involved in Site-specific Recombination 487

Lu, C. and Echols, H., RecA Protein and SOS. Correlation of Mutagenesis Phenotype with Binding of Mutant RecA Proteins to Duplex DNA and LexA Cleavage . . 497

Saldanha, R., Flanagan, P. and Fennewald, M., Recombination by Resolvase is Inhibited by *lac* Repressor Simultaneously Binding Operators Between *res* Sites . . 505

Komano, T., Franceschini, T. and Inouye, S., Identification of a Vegetative Promoter in *Myxococcus xanthus*. A Protein that has Homology to Histones 517

Robertson, J. M. and Wintermeyer, W., Mechanism of Ribosomal Translocation. tRNA Binds Transiently to an Exit Site Before Leaving the Ribosome During Translocation 525

Dickie, P., Morgan, A. R. and McFadden, G., Cruciform Extrusion in Plasmids Bearing the Replicative Intermediate Configuration of a Poxvirus Telomere 541

Krämer, A., Analysis of RNase-A-resistant Regions of Adenovirus 2 Major Late Precursor-mRNA in Splicing Extracts Reveals an Ordered Interaction of Nuclear Components with the Substrate RNA 559

Beese, L., Stubbs, G., Thomas, J. and Cohen, C., Structure of Microtubules with Reduced Hydration. Comparison of Results from X-ray Diffraction and Electron Microscopy 575

Garner, M. M. and Felsenfeld, G., Effects of *Z*-DNA on Nucleosome Placement . . 581

Fox, G., Stuart, D., Acharya, K. R., Fry, E., Rowlands, D. and Brown, F., Crystallization and Preliminary X-ray Diffraction Analysis of Foot-and-mouth Disease Virus 591

Kochoyan, M., Leroy, J. L. and Guéron, M., Proton Exchange and Base-pair Lifetimes in a Deoxy-duplex Containing a Purine-Pyrimidine Step and in the Duplex of Inverse Sequence 599

Appendix: Cross-correlation Between Protons Undergoing Exchange 608

Wagner, G., Braun, W., Havel, T. F., Schaumann, T., Gō, N. and Wüthrich, K., Protein Structures in Solution by Nuclear Magnetic Resonance and Distance Geometry. The Polypeptide Fold of the Basic Pancreatic Trypsin Inhibitor Determined using Two Different Algorithms, DISGEO and DISMAN 611

Miller, S., Janin, J., Lesk, A. M. and Chothia, C., Interior and Surface of Monomeric Proteins. 641

Banner, D. W., Kokkinidis, M. and Tsernoglou, D., Structure of the ColE1 Rop Protein at 1·7 Å Resolution 657

Schirmer, T., Bode, W. and Huber, R., Refined Three-dimensional Structures of Two Cyanobacterial C-phycocyanins at 2·1 and 2·5 Å Resolution. A Common Principle of Phycobilin–Protein Interaction 677

Purisima, E. O. and Scheraga, H. A., An Approach to the Multiple-minima Problem in Protein Folding by Relaxing Dimensionality. Tests on Enkephalin 697

Vašák, M., Wörgötter, E., Wagner, G., Kägi, J. H. R. and Wüthrich, K., Metal Co-ordination in Rat Liver Metallothionein-2 Prepared With or Without Reconstitution of the Metal Clusters, and Comparison With Rabbit Liver Metallothionein-2 711

Letters to the Editor

Hanley, P. J. B., Carrigan, C. M., Rowe, D. B. and Wake, R. G., Breakdown and Quantitation of the Forked Termination of Replication Intermediate of *Bacillus subtilis* 721

Podlubnaya, Z. A., Levitsky, D. I., Shuvalova, L. A. and Poglazov, B. F., Ordered Assemblies of Myosin Minifilaments. 729

Horovitz, A., Non-additivity in Protein–Protein Interactions 733

Cheng, H. H. and Echols, H., A Class of *Escherichia coli* Proteins Controlled by the *hfl*A Locus 737

DeLucas, L. J., Greenhough, T. J., Rule, S. A., Myles, D. A. A., Babu, Y. S., Volanakis, J. E. and Bugg, C. E., Preliminary X-ray Study of Crystals of Human C-reactive Protein 741

Number 4, 20 August 1987

Williams, W. L. and Müller, U. R., Effects of Palindrome Size and Sequence on Genetic Stability in the Bacteriophage ϕX174 Genome 743

Shehee, W. R., Chao, S.-F., Loeb, D. D., Comer, M. B., Hutchison, C. A., III. and Edgell, M. H., Determination of a Functional Ancestral Sequence and Definition of the 5′ End of A-type Mouse L1 Elements 757

Parma, J., Christophe, D., Pohl, V. and Vassart, G., Structural Organization of the 5′ Region of the Thyroglobulin Gene, Evidence for Intron Loss and "Exonization" During Evolution 769

Jayaraman, P. S., Peakman, T. C., Busby, S. J. W., Quincey, R. V. and Cole, J. A., Location and Sequence of the Promoter of the Gene for the NADH-dependent Nitrite Reductase of *Escherichia coli* and its Regulation by Oxygen, the Fnr Protein and Nitrite 781

Tobin, J. F. and Schleif, R. F., Positive Regulation of the *Escherichia coli* L-Rhamnose Operon is Mediated by the Products of Tandemly Repeated Regulatory Genes . . 789

Tyler, B. M., Transcription of *Neurospora crassa* 5 S rRNA Genes Requires a TATA Box and Three Internal Elements 801

De Winter, R. F. J. and Moss, T., A Complex Array of Sequences Enhances Ribosomal Transcription in *Xenopus laevis* 813

Lucchini, R., Pauli, U., Braun, R., Koller, T. and Sogo, J. M., Structure of the Extrachromosomal Ribosomal RNA Chromatin of *Physarum polycephalum* . . . 829

Shibata, H., Fujisawa, H. and Minagawa, T., Characterization of the Bacteriophage T3 DNA Packaging Reaction *in Vitro* in a Defined System 845

Kim, K. H., Pan, Z., Honzatko, R. B., Ke, H.-m. and Lipscomb, W. N., Structural Asymmetry in the CTP-liganded Form of Aspartate Carbamoyltransferase from *Escherichia coli* 853

Suguna, K., Bott, R. R., Padlan, E. A., Subramanian, E., Sheriff, S., Cohen, G. H. and Davies, D. R., Structure and Refinement at 1·8 Å Resolution of the Aspartic Proteinase from *Rhizopus chinensis* 877

Chothia, C. and Lesk, A. M., Canonical Structures for the Hypervariable Regions of Immunoglobulins 901

Fenna, R. E., Crystallization and Subunit Structure of Canine Myeloperoxidase . . 919

Doyle, M. L., Di Cera, E., Robert, C. H. and Gill, S. J., Carbon Dioxide and Oxygen Linkage in Human Hemoglobin Tetramers 927

Letters to the Editor

Lobert, S., Heil, P. D., Namba, K. and Stubbs, G., Preliminary X-ray Fiber Diffraction Studies of Cucumber Green Mottle Mosaic Virus, Watermelon Strain . 935

Praseuth, D., Chassignol, M., Takasugi, M., Le Doan, T., Thong, N. T. and Hélène, C., Double Helices with Parallel Strands are Formed by Nuclease-resistant Oligo-[α]-deoxynucleotides and Oligo-[α]-deoxynucleotides Covalently Linked to an Intercalating Agent with Complementary Oligo-[β]-deoxynucleotides . . . 939

Drouin, G., Hofman, J. D. and Doolittle, W. F., Unusual Ribosomal RNA Gene Organization in Copepods of the Genus *Calanus* 943

Kozak, M., At Least Six Nucleotides Preceding the AUG Initiator Codon Enhance Translation in Mammalian Cells 947

Wolberger, C. and Harrison, S. C., Crystallization and X-ray Diffraction Studies of a 434 Cro–DNA Complex 951

Castellani, L., Elliott, B. W., Jr, Winkelmann, D. A., Vibert, P. and Cohen, C., Myosin Binding to Actin. Structural Analysis Using Myosin Fragments. . . . 955

Fukuyama, K., Hirota, S. and Tsukihara, T., Crystallization and Preliminary X-ray Diffraction Studies of Tobacco Necrosis Virus. 961

de Groot, R. J., Luytjes, W., Horzinek, M. C., van der Zeijst, B. A. M., Spaan, W. J. M. and Lenstra, J. A., Evidence for a Coiled-coil Structure in the Spike Protein of Coronaviruses 963

Index to Volume 196

Ab, G. (see also Van Het Schip, F.D.), 245
Acharya, K. R. (see also Fox, G.), 591
Actin binding to myosin. Structural analysis using myosin fragments, 955
Adenovirus 2 major late precursor-mRNA in splicing extracts, analysis of RNase-A-resistant regions reveals an ordered interaction of nuclear components with the substrate RNA, 559
Affinity chromatographic purification of nucleosomes containing transcriptionally active DNA sequences, 379
Allegra, P., Sterner, R., Clayton, D. F. & Allfrey, V. G., Affinity chromatographic purification of nucleosomes containing transcriptionally active DNA sequences, 379
Allfrey, V. (see also Allegra, P.), 379
α operon gene expression regulation in *Escherichia coli*; a novel form of translational coupling, 333
Amino acid sequences, globin, unique features; determinants of a protein fold, 199
Aminotransferases, D-amino acid, from a novel thermophilic *Bacillus*; preliminary X-ray data, 441
Andersen, H. (see also Egebjerg, J.), 125
Anderson, W. F. (see also Kim, J. G.), 149
Arnold, G. E., Dunker, A. K. & Smerdon, M. J., Limited nucleosome migration can completely randomize DNA repair patches in intact human cells, 433
Aromatic side-chains in the basic pancreatic trypsin inhibitor, reinvestigation by heteronuclear two-dimensional nuclear magnetic resonance, 227
Asano, S. (see also Stoddard, B.), 441
Aspartate carbamoyltransferase from *Escherichia coli*, structural asymmetry in the CTP-liganded form, 853
Aspartic proteinase from *Rhizopus chinensis*, structure and refinement at 1·8 Å resolution, 877
Assemblies, ordered, of myosin minifilaments, 729
AUG initiator codon, at least six preceding nucleotides enhance translation in mammalian cells, 947
Avramova, Z. & Tsanev, R., Stable DNA–protein complexes in eukaryotic chromatin, 437
Azurin from *Pseudomonas denitrificans*, the tertiary structure as determined by Cu resonant diffraction using synchrotron radiation, 413

Babu, Y. S. (see also Delucas, L. J.), 741
Bacillus, thermophilic, novel, preliminary X-ray data for a D-amino acid aminotransferase, 441
Bacillus subtilis, breakdown and quantitation of the forked termination of replication intermediate, 721
Bacillus subtilis, genes encoding spore coat polypeptides, 1
Bacillus subtilis, plasmid replication stimulates DNA recombination, 39
Bacterial chromosome, isolation and characterization of repeated IS elements, 445
Bacteriophage P4 integration in *Escherichia coli*. DNA sequences of the phage and host regions involved in site-specific recombination, 487
Bacteriophage ϕX174 genome, effects of palindrome size and sequence on genetic stability, 743
Bacteriophages, T-even type, receptor-recognizing proteins. Constant and hypervariable regions and an unusual case of evolution, 165
Bacteriophage T3 DNA packaging reaction *in vitro* in a defined system; characterization, 845
Bacteriophage T7, mapping and characterization of transcriptional pause sites in the early genetic region, 61
Banner, D. W., Kokkinidis, M. & Tsernoglou, D., Structure of the ColE1 Rop protein at 1·7 Å resolution, 657
Base-pair lifetimes and protein exchange in a deoxy-duplex containing a purine-purimidine step and in the duplex of inverse sequence, 599
Bashford, D., Chothia, C. & Lesk, A. M., Determinants of a protein fold. Unique features of the globin amino acid sequences, 199
Basic pancreatic trypsin inhibitor, reinvestigation of the aromatic side-chains by heteronuclear two-dimensional n.m.r., 227
Basic pancreatic trypsin inhibitor, structure of the polypeptide fold using algorithms DISGEO and DISMAN, 611
Beckingham, K. (see also Smith, V. L.), 471
Bedwell, D. M., (see also Thomas, M. S.), 333
Beese, L., Stubbs, G., Thomas, J. & Cohen, C., Structure of microtubules with reduced hydration. Comparison of results from X-ray diffraction and electron microscopy, 575
Bode, W. (see also Schirmer, T.), 677
Boothroyd, J. C. (see also Campbell, D. A.), 113
Borowiec, J. A., Zhang, L., Sasse-Dwight, S. & Gralla, J. D., DNA supercoiling promotes formation of a bent repression loop in *lac* DNA, 101
Bott, R. R. (see also Suguna, K.), 877
Bottomley, W. (see also Hudson, G. S.), 283
Braun, R. (see also Lucchini, R.), 829
Braun, W. (see also Wagner, G.), 611
Broos, J. (see also Van Het Schip, F. D.), 245
Brown, F. (see also Fox, G.), 591
Brühwiler, D. (see also Wagner, G.), 227
Bugg, C. E. (see also Delucas, L. J.), 741
Busby, S. J. W. (see also Jayayaman, P. S.), 781

Caenorhabditis elegans, molecular characterization of the histone gene family, 27
Calanus copepods, unusual rRNA gene organization, 943
Calmodulin gene, *Drosophila melanogaster*, structure and sequence, 471
Campbell, D. A., Kubo, K., Clark, C. G. & Boothroyd, J. C., Precise identification of cleavage sites involved in the unusual processing of trypanosome ribosomal RNA, 113
Canine myeloperoxidase, crystallization and subunit structure, 919
Carbon dioxide and oxygen linkage in human hemoglobin tetramers, 927
Carlson, W. D. (see also Summers, N. L.), 175
Carrigan, C. M. (see also Hanley, P. J. B.), 721
Castellani, L., Elliott, B. W., Jr, Winkelmann, D. A., Vibert, P. & Cohen, C., Myosin binding to actin. Structural analysis using myosin fragments, 955
Cech, T. R. (see also Price, J. V.), 49
Cells, human, intact, limited nucleosome migration can completely randomize DNA repair patches, 433
Chamberlin, M. J. (see also Levin, J. R.), 61, 85
Chamberlin, M. J. (see also Reines, D.), 299
Chao, S.-F. (see also Shehee, W. R.), 757
Chassignol, M. (see also Praseuth, D.), 939
Cheng, H. H. & Echols, H., A class of *Escherichia coli* proteins controlled by the *hflA* locus, 737
Chicken vitellogenin gene, nucleotide sequence, and derived amino acid sequence of the encoded yolk precursor protein, 245
Childs, G. (see also Roberts, S. B.), 27
Chloroplast genomes, spinach and pea, a gene cluster encoding one CF_1 and three CF_0 subunits of the H^+-ATP synthase complex and the ribosomal protein S2, 283
Chothia, C. & Lesk, A. M., Canonical structures for the hypervariable regions of immunoglobulins, 901
Chothia, C. (see also Bashford, D.), 199
Chothia, C. (see also Miller, S.), 641
Christensen, A. (see also Egebjerg, J.), 125
Christophe, D. (see also Parma, J.), 769
Chromatin, eukaryotic, stable DNA–protein complexes, 437
Chromatin, extrachromosomal ribosomal RNA, of *Physarum polycephalum*; structure, 829
Chromosome, bacterial, isolation and characterization of repeated IS elements, 445
Circular DNA, extrachromosomal, cloned copies of the human transposable element THE-1 are related predominantly to a single type of family member, 233

Clark, C. G. (see also Campbell, D. A.), 113
Clayton, D. F. (see also Allegra, P.), 379
Cleavage sites involved in the unusual processing of trypanosome ribosomal RNA; precise identification, 113
Cloned extrachromosomal circular DNA copies of the human transposable element THE-1 are related predominantly to a single type of family member, 233
Coat polypeptides from *Bacillus subtilis*; encoding genes, 1
Codon–anticodon interaction in the ribosomal exit site; destabilization, 137
Cognet, M., Lone, Y. C., Vaulont, S., Kahn, A. & Marie, J., Structure of the rat L-type pyruvate kinase gene, 11
Cohen, C. (see also Beese, L.), 575
Cohen, C. (see also Castellani, L.), 955
Cohen, G. H. (see also Suguna, K.), 877
Coiled-coil structures in the spike proteins of coronaviruses, 963
Cole , J. A. (see also Jayaraman, P. S.), 781
ColE1 Rop protein, structure at 1·7 Å resolution, 657
Comer, M. B. (see also Shehee, W. R.), 757
Complexity, high level, of small nuclear RNAs in fungi and plants, 355
Copepods of the genus *Calanus*, unusual rRNA gene organization, 943
Cu resonant diffraction using synchrotron radiation, and determination of the tertiary structure of azurin from *Pseudomonas denitrificans*, 413
CpG islands in vertebrate genomes, 261
C-phycocyanins, cyanobacterial, two, refined three-dimensional structures at 2·1 Å and 2·5 Å resolution, 677
Coronaviruses, evidence for a coiled-coil structure in the spike proteins, 963
Cox, G. B. (see also Hudson, G. S.), 283
C-reactive protein, human, preliminary X-ray study, 741
Cro protein, 434, complex with DNA, crystallization and X-ray diffraction studies, 951
Cro repressor–operator DNA interaction, kinetic studies, 149
Cruciform extrusion in plasmids bearing the replicative intermediate configuration of a poxvirus telomere, 541
Crystallization and preliminary X-ray diffraction analysis of foot-and-mouth disease virus, 591
Crystallization and preliminary X-ray diffraction studies of tobacco necrosis virus, 961
Crystallization and subunit structure of canine myeloperoxidase, 919
Crystallization and X-ray diffraction studies of a 434 Cro–DNA complex, 951
CTP-liganded form of aspartate carbamoyltransferase from *Escherichia coli*, structural asymmetry, 853
Cucumber green mottle mosaic virus (see also Virus), 935
Cyanobacterial C-phycocyanins, two, refined three-dimensional structures at 2·1 Å and 2·5 Å resolution, 677
Cytidylic acid (2′-CMP) binding to ribonuclease A, X-ray refinement study, 159

D-amino acid aminotransferase from a novel thermophilic *Bacillus*, preliminary X-ray data, 441
Danish, E. H., Harris, J. W., Moore, C. R. & Krieger, I. M., Rheologic behavior of deoxyhemoglobin S gels, 421
Davies, D. R. (see also Suguna, K.), 877
Deckman, I. C. & Draper, D. E., S4–α mRNA translation regulation complex. II. Secondary structures of the RNA regulatory site in the presence and absence of S4, 323
Deckman, I. C., Draper, D. E. & Thomas, M. S., S4–α mRNA translation repression complex. I. Thermodynamics of formation, 313
Degen, M. (see also Montag, D.), 165
De Groot, R. J., Luytjes, W., Horzinek, M. C., van der Zeijst, B. A. M., Spaan, W. J. M. & Lenstra, J. A., Evidence for a coiled-coil structure in the spike protein of coronaviruses, 963
De La Campa, A. G., Kale, P., Springhorn, S. S. & Lacks, S. A., Proteins encoded by the *Dpn*II restriction gene cassette. Two methylases and an endonuclease, 457
Delucas, L. J., Greenhough, T. J., Rule, S. A., Myles, D. A. A., Babu, Y. S., Volanakis, J. E. & Bugg, C. E., Preliminary X-ray study of crystals of human C-reactive protein, 741
Deoxy-duplex containing a purine-pyrimidine step, proton exchange and base-pair lifetimes, 599
Deoxyhemoglobin S gels, rheologic behavior, 421
DNA complex with 434 Cro, crystallization and X-ray diffraction studies, 951
DNA, duplex; RecA protein and SOS, 497
DNA, operator, interaction with Cro repressor; kinetic studies, 149
DNA packaging reaction, T3, *in vitro*, in a defined system; characterization, 845
DNA recombination is stimulated by plasmid replication, in *Bacillus subtilis*, 39
DNA repair patches can be completely randomized in intact human cells by limited nucleosome migration, 433
DNA sequences of the phage and host regions involved in site-specific recombination; integration of satellite bacteriophage P4 in *Escherichia coli*, 487
DNA supercoiling promotes formation of a bent repression loop in *lac* DNA, 101
DNA–histone interactions, spectroscopic studies; the interaction of histone (H2A, H2B) dimer with DNA; DNA sequence dependence, 389
DNA–histone interactions, spectroscopic studies; three transitions in nucleosomes resolved by salt-titration, 399
DNA–protein complexes, stable, in eukaryotic chromatin, 437
Z-DNA, effect on nucleosome placement, 581
Destabilization of codon–anticodon interaction in the ribosomal exit site, 137
De Winter, R. F. J. & Moss, T., A complex array of sequences enhances ribosomal transcription in *Xenopus laevis*, 813
Di Cera, E. (see also Doyle, M. L.), 927
Dickie, P., Morgan, A. R. & McFadden, G., Cruciform extrusion in plasmids bearing the replicative intermediate configuration of a poxvirus telomere, 541
DISGEO and DISMAN algorithms, use in determining structure of polypeptide fold of the basic pancreatic trypsin inhibitor, 611
Donovan, W., Zheng, L., Sandman, K. & Losick, R., Genes encoding spore coat polypeptides from *Bacillus subtilis*, 1
Doolittle, W. F. (see also Drouin, G.), 943
Doyle, K. E. (see also Smith, V. L.), 471
Doyle, M. L., Di Cera, E., Robert, C. H. & Gill, S. J., Carbon dioxide and oxygen linkage in human hemoglobin tetramers, 927
*Dpn*II restriction gene cassette, encoded proteins; two methylases and an endonuclease, 457
Draper, D. E. (see also Deckman, I. C.), 313, 323
Drosophila melanogaster calmodulin gene, structure and sequence, 471
Drosophila sgs3 gene: an *in-vivo* test of intron function, 223
Drouin, G., Hofman, J. D. & Doolittle, W. F., Unusual ribosomal RNA gene organization in copepods of the genus *Calanus*, 943
Dunker, A. K. (see also Arnold, G. E.), 433

Echols, H. (see also Cheng, H. H.), 737
Echols, H. (see also Lu, C.), 497
Edgell, M. H. (see also Shehee, W. R.), 757
Egebjerg, J., Leffers, H., Christensen, A., Andersen, H. & Garrett, R. A., Structure and accessibility of domain I of *Escherichia coli* 23 S RNA in free RNA, in the L24 RNA complex and in 50 S subunits. Implications for ribosomal assembly, 125
Ehrlich, S. D. (see also Noirot, P. H.), 39
Electron microscopy and X-ray diffraction, a comparison; structure of microtubules with reduced hydration, 575
Elliott, B. W., Jr (see also Castellani, L.), 955
Emmons, S. W. (see also Roberts, S. B.), 27
Endonuclease; proteins encoded by the *Dpn*II restriction gene cassette, 457
Engberg, J. (see also Price, J. V.), 49
Enkephalin, tests; an approach to the multiple-minima problem in protein folding by relaxing dimensionality, 697
Eschbach, M.-L. (see also Montag, D.), 165
Escherichia coli, isolation and properties of transcribing ternary complexes of RNA polymerase positioned at a single template base, 85

Escherichia coli, location and sequence of the promoter of the gene for the NADH-dependent nitrite reductase, 781
Escherichia coli, positive regulation of the L-rhamnose operon is mediated by the products of tandemly repeated regulatory genes, 789
Escherichia coli proteins controlled by the *hfl*A locus, 737
Escherichia coli, regulation of α operon gene expression; a novel form of translational coupling, 333
Escherichia coli, structural asymmetry in the CTP-liganded form of aspartate carbamoyltransferase, 853
Escherichia coli, structure and accessibility of domain I of 23 S RNA in free RNA, in the L24–RNA complex and in 50 S subunits, 125
Escherichia coli trp leader paused transcription complex, isolation and structural analysis, 363
Escherichia coli tryptophan synthetase α-subunit mRNA, 3′-terminal polyadenylate sequence, 347
Eukaryotic chromatin, stable DNA–protein complexes, 437
Evolution, an unusual case; receptor-recognizing proteins of T-even type bacteriophages, 165
Evolutionary "exonization" and intron loss; structural organization of the 5′ region of the thyroglobulin gene, 769
Exit site, ribosomal, and destabilization of codon–anticodon interaction, 137
Exon, 5′, requirement for self-splicing of the *Tetrahymena thermophila* pre-ribosomal RNA and identification of a cryptic 5′ splice site in the 3′ exon, 49
"Exonization" during evolution; structural organization of the 5′ end of the thyroglobulin gene, 769

Felsenfeld, G. (see also Garner, M. M.), 581
Fenna, R. E., Crystallization and subunit structure of canine myeloperoxidase, 919
Fennewald, M. (see also Saldanha, R.), 505
5′ end of A-type mouse L1 elements, definition, 757
5′ exon requirement for self-splicing of the *Tetrahymena thermophila* pre-ribosomal RNA and identification of a cryptic 5′ splice site in the 3′ exon, 49
5′ region and the thyroglobulin gene, structural organization; evidence for intron loss and "exonization" during evolution, 769
Flanagan, P. (see also Saldanha, R.), 505
Fnr protein regulation of the promoter of the gene for the NADH-dependent nitrite reductase of *Escherichia coli*, 781
Fold, protein, determinants; unique features of the globin amino acid sequences, 199
Folding, protein, an approach to the multiple-minima problem by relaxing dimensionality; tests on enkephalin, 697
Foot-and-mouth disease virus (see also Virus), 591
Forked termination of replication intermediate of *Bacillus subtilis*, breakdown and quantitation, 721
434 Cro–DNA complex, crystallization and X-ray diffraction studies, 951
Fox, G., Stuart, D., Acharya, K. R., Fry, E., Rowlands, D. & Brown, F., Crystallization and preliminary X-ray diffraction analysis of foot-and-mouth disease virus, 591
Franceschini, T. (see also Komano, T.), 517
Frommer, M. (see also Gardiner-Garden, M.), 261
Fry, E. (see also Fox, G.), 591
Fujisawa, H. (see also Shibata, H.), 845
Fukuyama, K., Hirota, S. & Tsukihara, T., Crystallization and preliminary X-ray diffraction studies of tobacco necrosis virus, 961
Fungi, high level of complexity of small nuclear RNAs, 355

Gardiner-Garden, M. & Frommer, M., CpG islands in vertebrate genomes, 261
Garner, M. M. & Felsenfeld, G., Effects of *Z*-DNA on nucleosome placement, 581
Garrett, R. A. (see also Egebjerg, J.), 125
Gels, deoxyhemoglobin, S, rheologic behavior, 421
Gene, calmodulin, *Drosophila melanogaster*, structure and sequence, 471
Gene cluster in the spinach and pea chloroplast genomes encoding one CF_1 and three CF_0 subunits of the H^+-ATP synthase complex and the ribosomal protein S2, 283
Gene expression, α operon, regulation in *Escherichia coli*; a novel form of translational coupling, 333
Gene family, histone, of *Caenorhabditis elegans*; molecular characterization, 27
Gene for the NADH-dependent nitrate reductase of *Escherichia coli*, location and sequence of the promoter, 781
Gene, rat L-type pyruvate kinase; structure, 11
Gene, rRNA, unusual organization in copepods of the genus *Calanus*, 943
Gene sequences, identification of intragenic intrinsic termination sites *in vitro* for RNA polymerase II, 299
Gene *sgs3*, *Drosophila*; *in-vivo* test of intron function, 223
Gene, thyroglobulin, structural organization of the 5′ region; evidence for intron loss and "exonization" during evolution, 769
Gene, vitellogenin, chicken, nucleotide sequence, and derived amino acid sequence of the encoded yolk precursor protein, 245
Genes encoding spore coat polypeptides from *Bacillus subtilis*, 1
Genes, *Neurospora crassa* 5 S rRNA, transcription requires a TATA box and three internal elements, 801
Genes, regulatory, tandemly repeated, and positive regulation of the *Escherichia coli* L-rhamnose operon, 789
Genetic region, early, of bacteriophage T7, mapping and characterization of transcriptional pause sites, 61
Genetic stability in the bacteriophage ϕX174, genome, effects of palindrome size and sequence, 743
Genomes, chloroplast, spinach and pea, a gene cluster encoding one CF_1 and three CF_0 subunits of the H^+-ATP synthase complex and the ribosomal protein S2, 283
Genomes, vertebrate, CpG islands, 261
Giangrande, A. (see also Mettling, C.), 223
Gill, S. J. (see also Doyle, M. L.), 927
Globin amino acid sequences, unique features; determinants of a protein fold, 199
Gō, N. (see also Wagner, G.), 611
Gralla, J. D. (see also Borowiec, J. A.), 101
Greenhough, T. J. (see also Delucas, L. J.), 741
Gruber, M. (see also Van Het Schip, F. D.), 245
Guéron, M. (see also Kochoyan, M.), 599

Hanley, P. J. B., Carrigan, C. M., Rowe, D. B. & Wake, R. G., Breakdown and quantitation of the forked termination of replication intermediate of *Bacillus subtilis*, 721
Harris, G. W. (see also Howlin, B.), 159
Harris, J. W. (see also Danish, E. H.), 421
Harrison, S. C. (see also Wolberger, C.), 951
Havel, T. F. (see also Wagner, G.), 611
Heil, P. D. (see also Lobert, S.), 935
Hélène, C. (see also Praseuth, D.), 939
Helices, double, with parallel strands are formed by nuclease-resistant oligo-[α]-deoxynucleotides and oligo-[α]-deoxynucleotides covalently linked to an intercalating agent with complementary oligo-[β]-deoxynucleotides, 939
Hemoglobin tetramers, human, carbon dioxide and oxygen linkage, 927
Henning, U. (see also Montag, D.), 165
*hfl*A locus control of a class of *Escherichia coli* proteins, 737
Hirota, S. (see also Fukuyama, K.), 961
Histone–DNA interactions, spectroscopic studies; the interaction of histone (H2A, H2B) dimer with DNA; DNA sequence dependence, 389
Histone–DNA interactions, spectroscopic studies; three transitions in nucleosomes resolved by salt-titration, 399
Histone gene family of *Caenorhabditis elegans*, molecular characterization, 27
Histone homology of a protein; identification of a vegetative promoter in *Myxococcus xanthus*, 517
Hofman, J. D. (see also Drouin, G.), 943
Holton, T. A. (see also Hudson, G. S.), 283
Honzatko, R. B. (see also Kim, K. H.), 853
Horovitz, A., Non-additivity in protein–protein interactions, 733
Horzinek, M. C. (see also De Groot, R. J.), 963
Howell, L. (see also Stoddard, B.), 441

Howlin, B., Harris, G. W., Moss, D. S. & Palmer, R. A., X-ray refinement study on the binding of cytidylic acid (2′-CMP) to ribonuclease A, 159
Huber, R. (see also Schirmer, T.), 677
Hudson, G. S., Mason, J. G., Holton, T. A., Koller, B., Cox, G. B., Whitfield, P. R. & Bottomley, W., A gene cluster in the spinach and pea chloroplast genomes encoding one CF_1 and three CF_0 subunits of the H^+-ATP synthase complex and the ribosomal protein S2, 283
Human C-reactive protein, preliminary X-ray study, 741
Human hemoglobin tetramers, carbon dioxide and oxygen linkage, 927
Human transposable element THE-1, cloned extrachromosomal circular DNA copies are related predominantly to a single type of family member, 233
Hutchison, C. A., III (see also Shehee, W. R.), 757
Hydration, reduced, and the structure of microtubules; comparison of results from X-ray diffraction and electron microscopy, 575
H^+-ATP synthase complex, a gene cluster in the spinach and pea chloroplast genomes encoding one CF_1 and three CF_0 subunits, 283
Hypervariable regions of immunoglobulins, canonical structures, 901

Immunoglobulins, canonical structures for the hypervariable regions, 901
Inouye, S. (see also Komano, T.), 517
Integration of satellite bacteriophage P4 in *Escherichia coli*. DNA sequences of the phage and host regions involved in site-specific recombination, 487
Intron function, an *in-vivo* test; the Drosophila *sgs3* gene, 223
Intron loss and "exonization" during evolution; structural organization of the 5′ region of the thyroglobulin gene, 769
IS elements repeated in the bacterial chromosome, isolation and characterization, 445

Janin, J. (see also Miller, S.), 641
Jayaraman, P. S., Peakman, T. C., Busby, S. J. W., Quincey, R. V. & Cole, J. A., Location and sequence of the promoter of the gene for the NADH-dependent nitrite reductase of *Escherichia coli* and its regulation by oxygen, the Fnr protein and nitrite, 781

Kägi, J. H. R. (see also Vašák, M.), 711
Kahn, A. (see also Cognet, M.), 11
Kahn, M. L. (see also Pierson, L. S., III), 487
Kale, P. (see also De La Campa, A. G.), 457
Kane, C. M. (see also Reines, D.), 299
Karnik, P., Taljanidisz, J., Sasvari-Szekely, M. & Sarkar, N., 3′-Terminal polyadenylate sequences of *Escherichia coli* tryptophan synthetase α-subunit messenger RNA, 347
Karplus, M. (see also Summers, N. L.), 175
Ke, H.-m. (see also Kim, K. H.), 853
Kim, J. G., Takeda, Y., Matthews, B. W. & Anderson, W. F., Kinetic studies on Cro repressor–operator DNA interaction, 149
Kim, K. H., Pan, Z., Honzatko, R. B., Km, H.-m, & Lipscomb, W. N., Structural asymmetry in the CTP-liganded form of aspartate carbamoyltransferase from *Escherichia coli*, 853
Kinetic studies on Cro repressor–operator DNA interaction, 149
Kochoyan, M., Leroy, J. L. & Guéron, M., Proton exchange and base-pair lifetimes in a deoxy-duplex containing a purine-pyrimidine step and in the duplex of inverse sequence, 599
Kokkinidis, M. (see also Banner, D. W.), 657
Koller, B. (see also Hudson, G. S.), 283
Koller, T. (see also Lucchini, R.), 829
Komano, T., Franceschini, T. & Inouye, S., Identification of a vegetative promoter in *Myxococcus xanthus*. A protein that has homology to histones, 517
Korszun, Z. R., The tertiary structure of azurin from *Pseudomonas denitrificans* as determined by Cu resonant diffraction using synchrotron radiation, 413
Kozak, M., At least six nucleotides preceding the AUG initiator codon enhance translation in mammalian cells, 947
Krämer, A., Analysis of RNase-A-resistant regions of adenovirus 2 major late precursor-mRNA in splicing extracts reveals an ordered interaction of nuclear components with the substrate RNA, 559
Krieger, I. M. (see also Danish, E. H.), 421
Krummel, B. (see also Levin, J. R.), 85
Kubo, K. (see also Campbell, D. A.), 113

L1 elements, mouse, A-type, determination of a functional ancestral sequence and definition of the 5′ end, 757
lac DNA, supercoiling promotes formation of a bent repression loop, 101
lac repressor simultaneously binding operators between *res* sites inhibits recombination by resolvase, 505
Lacks, S. A. (see also De La Campa, A. G.), 457
Landick, R. & Yanofsky, C., Isolation and structural analysis of the *Escherichia coli trp* leader paused transcription complex, 363
Le Doan, T. (see also Praseuth, D.), 939
Leffers, H. (see also Egebjerg, J.), 125
Lenstra, J. A. (see also De Groot, R. J.), 963
Leroy, J. L. (see also Kochoyan, M.), 599
Lesk, A. M. (see also Bashford, D.), 199
Lesk, A. M. (see also Chothia, C.), 901
Lesk, A. M. (see also Miller, S.), 641
Levin, J. R. & Chamberlin, M. J., Mapping and characterization of transcriptional pause sites in the early genetic region of bacteriophage T7, 61
Levin, J. R., Krummel, B. & Chamberlin, M. J., Isolation and properties of transcribing ternary complexes of *Escherichia coli* RNA polymerase positioned at a single template base, 85
Levitsky, D. I. (see also Podlubnaya, Z. A.), 729
LexA cleavage; RecA protein and SOS, 497
Ligation junction produced by self-splicing of *Tetrahymena thermophila* pre-ribosomal RNA; origin of the phosphate, 217
Lill, R. & Wintermeyer, W., Destabilization of codon–anticodon interaction in the ribosomal exit site, 137
Lipscomb, W. N. (see also Kim, K. H.), 853
Liver (see also Rat liver metallothionein-2), 711
Lobert, S., Heil, P. D., Namba, K. & Stubbs, G., Preliminary X-ray fiber diffraction studies of cucumber green mottle mosaic virus, watermelon strain, 935
Loeb, D. D. (see also Shehee, W. R.), 757
Lone, Y. C. (see also Cognet, M.), 11
Loop, repression, bent, is promoted by supercoiling in *lac* DNA, 101
Losick, R. (see also Donovan, W.), 1
L24–RNA complex, structure and accessibility of domain I of *Escherichia coli* 23 S RNA, 125
L-type pyruvate kinase gene, rat; structure, 11
Lu, C. & Echols, H., RecA protein and SOS. Correlation of mutagenesis phenotype with binding of mutant RecA proteins to duplex DNA and LexA cleavage, 497
Lucchini, R., Pauli, U., Braun, R., Koller, T. & Sogo, J. M., Structure of the extrachromosomal ribosomal RNA chromatin of *Physarum polycephalum*, 829
Luytjes, W. (see also De Groot, R. J.), 963

McFadden, G. (see also Dickie, P.), 541
Maeda, Y. (see also Matsutani, S.), 445
Mammalian cells, at least six nucleotides preceding the AUG initiator codon enhance translation, 947
Mapping and characterization of transcriptional pause sites in the early genetic region of bacteriophage Y7, 61
Marie, J. (see also Cognet, M.), 11
Mason, J. G. (see also Hudson, G. S.), 283
Matsutani, S., Ohtsubo, H., Maeda, Y. & Ohtsubo, E., Isolation and characterization of IS elements repeated in the bacterial chromosome, 445
Matthews, B. W. (see also Kim, J. G.), 149
Maune, J. F. (see also Smith, V. L.), 471

Messenger RNA, *Escherichia coli* tryptophan synthetase α-subunit; 3′-terminal polyadenylate sequences, 347
Metal co-ordination on rat liver metallothionein-2 prepared with or without reconstitution of the metal clusters, and comparison with rabbit liver metallothionein-2, 711
Methylases, two; proteins encoded by the *Dpn*II restriction gene cassette, 457
Mettling, C., Giangrande, A. & Richards, G., The *Drosophila sgs3* gene: an *in-vivo* test of intron function, 223
Microtubules with reduced hydration, structure; comparison of results from X-ray diffraction and electron microscopy, 575
Miller, S., Janin, J., Lesk, A. M. & Chothia, C., Interior and surface of monomeric proteins, 641
Minagawa, T. (see also Shibata, H.), 845
Misra, R., Shih, A., Rush, M., Wong, E. & Schmid, C. W., Cloned extrachromosomal circular DNA copies of the human transposable element THE-1 are related predominantly to a single type of family member, 233
Mojet, M. (see also Van Het Schip, F. D.), 245
Molecular characterization of the histone gene family of *Caenorhabditis elegans*, 27
Monomeric proteins, interior and surface, 641
Montag, D., Riede, I., Eschbach, M.-L., Degen, M. & Henning, U., Receptor-recognizing proteins of T-even type bacteriophages. Constant and hypervariable regions and an unusual case of evolution, 165
Moore, C. R. (see also Danish, E. H.), 421
Morgan, A. R. (see also Dickie, P.), 541
Moss, D. S. (see also Howlin, B.), 159
Moss, T. (see also De Winter, R. F. J.), 813
Mouse A-type L1 elements, determination of a functional ancestral sequence and definition of the 5′ end, 757
Müller, U. R. (see also Williams, W. L.), 743
Multiple-minima problem in protein folding, an approach by relaxing dimensionality; tests on enkephalin, 697
Munjaal, R. P. (see also Smith, V. L.), 471
Mutagenesis phenotype, correlation with binding of mutant RecA proteins to duplex DNA and LexA cleavage; RecA protein and SOS, 497
Myeloperoxidase, canine, crystallization and subunit structure, 919
Myles, D. A. A. (see also DeLucas, L. J.), 741
Myosin binding to actin. Structural analysis using myosin fragments, 955
Myosin minifilaments, ordered assemblies, 729
Myxococcus xanthus, identification of a vegetative promoter; a protein that has homology to histones, 517

NADH-dependent nitrite reductase of *Escherichia coli*, location and sequence of the promoter of the gene, 781
Namba, K. (see also Lobert, S.), 935
Neurospora crassa, transcription of 5 S rRNA genes requires a TATA box and three internal elements, 801
Nitrite reductase, NADH-dependent, of *Escherichia coli*, location and sequence of the promoter of the gene, 781
Noirot, P. H., Petit, M.-A. & Ehrlich, S. D., Plasmid replication stimulates DNA recombination in *Bacillus subtilis*, 39
Nomura, M. (see also Thomas, M. S.), 333
Non-additivity in protein–protein interactions, 733
Nuclear magnetic resonance and distance geometry in determination of protein structures in solution; polypeptide fold of the basic pancreatic trypsin inhibitor using two different algorithms, DISGEO and DISMAN, 611
Nuclear magnetic resonance, two-dimensional, heteronuclear, reinvestigation of the aromatic side-chains in the basic pancreatic trypsin inhibitor, 227
Nucleosome migration, limited, can completely randomize DNA repair patches in intact human cells, 433
Nucleosome placement, effect of Z-DNA, 581
Nucleosomes containing transcriptionally active DNA sequences; affinity chromatographic purification, 379
Nucleosomes, three transitions resolved by salt-titrations; spectroscopic studies on histone–DNA interactions; 399
Nucleotide sequence of a chicken vitellogenin gene and derived amino acid sequence of the encoded yolk precursor protein, 245
Nucleotides, at least six, preceding the AUG initiator codon, enhance translation in mammalian cells, 947

Ohtsubo, E. (see also Matsutani, S.), 445
Ohtsubo, H. (see also Matsutani, S.), 445
Oligodeoxynucleotides, nuclease-resistant, and the formation of double helices with parallel strands, 939
Oohara, I. & Wada, A., Spectroscopic studies on histone–DNA interactions. I. The interaction of histone (H2A, H2B) dimer with DNA:DNA sequence dependence, 389
Oohara, I. & Wada, A., Spectroscopic studies on histone–DNA interactions. II. Three transitions in nucleosomes resolved by salt-titration, 399
Operator DNA, interaction with Cro repressor; kinetic studies, 149
Ophuis, J. (see also Van Het Schip, F. D.), 245
Ordered assemblies of myosin minifilaments, 729
Oxygen and carbon dioxide linkage in human hemoglobin tetramers, 927

P4 (see also Bacteriophage), 487
Packaging reaction, DNA, T3, *in vitro* in a defined system; characterization, 845
Padlan, E. A. (see also Suguna, K.), 877
Palindrome size and sequence, effects on genetic stability in the bacteriophage φX174 genome, 743
Palmer, R. A. (see also Howlin, B.), 159
Pan, Z. (see also Kim, K. H.), 853
Parma, J., Christophe, D., Pohl, V. & Vassart, G., Structural organization of the 5′ region of the thyroglobulin gene. Evidence for intron loss and "exonization" during evolution, 769
Pauli, U. (see also Lucchini, R.), 829
Pea and spinach chloroplast genomes, a gene cluster encoding one CF_1 and three CF_0 subunits of the H^+-ATP synthase complex and the ribosomal protein S2, 283
Peakman, T. C. (see also Jayaraman, P. S.), 781
Petit, M.-A. (see also Noirot, P. H.), 39
Petsko, G. A. (see also Stoddard, B.), 441
φX174 (see also Bacteriophage), 743
Phosphate at the ligation junction produced by self-splicing of *Tetrahymena thermophila* pre-ribosomal RNA; origin, 217
Physarum polycephalum, structure of the extrachromosomal ribosomal RNA chromatin, 829
Pierson, L. S., III & Kahn, M. L., Integration of satellite bacteriophage P4 in *Escherichia coli*. DNA sequences of the phage and host regions involved in site-specific recombination, 487
Plants, high level of complexity of small nuclear RNAs, 355
Plasmid replication stimulates DNA recombination in *Bacillus subtilis*, 39
Plasmids bearing the replicative intermediate configuration of a poxvirus telomere; cruciform extrusion, 541
Podlubnaya, Z. A., Levitsky, D. I., Shuvalova, L. A. & Poglazov, B. F., Ordered assemblies of myosin minifilaments, 729
Poglazov, B. F. (see also Podlubnaya, Z. A.), 729
Pohl, V. (see also Parma, J.), 769
Polyadenylate sequences, 3′-terminal, of *Escherichia coli* tryptophan synthetase α-subunit mRNA, 347
Polypeptide fold of the basic pancreatic trypsin inhibitor, structure using algorithms DISGEO and DISMAN, 611
Poxvirus telomere sequences, cruciformation, 541
Praseuth, D., Chassignol, M., Takasugi, M., Le Doan, T., Thong, N. T. & Hélène, C., Double helices with parallel strands are formed by nuclease-resistant oligo-[α]-deoxynucleotides and oligo-[α]-deoxynucleotides covalently linked to an intercalating agent with complementary oligo-[β]-deoxynucleotides, 939
Precursor-mRNA, adenovirus 2 major late, in splicing extracts, analysis of RNase-A-resistant regions reveals an ordered interaction of nuclear components with the substrate RNA, 559
Price, J. V., Origin of the phosphate at the ligation junction produced by self-splicing of *Tetrahymena thermophila* pre-ribosomal RNA, 217

Price, J. V., Engberg, J. & Cech, T. R., 5′ Exon requirement for self-splicing of the *Tetrahymena thermophila* pre-ribosomal RNA and identification of cryptic 5′ splice site in the 3′ exon, 49
Promoter of the gene for the NADH-dependent nitrite reductase of *Escherichia coli*, location and sequence, and regulation by oxygen, the Fnr protein and nitrite, 781
Protein fold determinants. Unique features of the globin amino acid sequences, 199
Protein folding, an approach to the multiple-minima problem by relaxing dimensionality; tests on enkephalin, 697
Protein with homology to histones; identification of a vegetative promoter in *Myxococcus xanthus*, 517
Protein structures in solution by n.m.r. and distance geometry; the polypeptide fold of the basic pancreatic trypsin inhibitor determined using two different algorithms, DISGEO and DISMAN, 611
Proteins encoded by the *Dpn*II restriction gene cassette. Two methylases and an endonuclease, 457
Proteins, *Escherichia coli*, controlled by the *hfl*A locus, 737
Proteins, homologous, analysis of side-chain orientations, 175
Proteins, monomeric, interior and surface, 641
Proteins, receptor-recognizing, of T-even type bacteriophages. Constant and hypervariable regions and an unusual case of evolution, 165
Proteins, spike, of coronaviruses, evidence for a coiled-coil structure, 963
Protein–DNA complexes, stable, in eukaryotic chromatin, 437
Protein–protein interactions, non-additivity, 733
Proton exchange and base-pair lifetimes in a deoxy-duplex containing a purine-pyrimidine step and in the duplex of inverse sequence, 599
Pseudomonas denitrificans, the tertiary structure of azurin as determined by Cu resonant diffraction using synchrotron radiation, 413
Purisima, E. O. & Scheraga, H. A., An approach to the multiple-minima problem in protein folding by relaxing dimensionality. Tests on enkephalin, 697
Pyruvate kinase, L-type, gene, of rat; structure, 11

Quincey, R. V. (see also Jayaraman, P. S.), 781

Rabbit liver metallothionein-2 (see also rat liver), 711
Rat liver metallothionein-2 prepared with or without reconstitution of the metal clusters, metal co-ordination; and comparison with rabbit liver metallothionein-2, 711
Rat L-type pyruvate kinase gene; structure, 11
RecA protein and SOS. Correlation of mutagenesis phenotype with binding of mutant RecA proteins to duplex DNA and LexA cleavage, 497
Receptor-recognizing proteins of T-even type bacteriophages. Constant and hypervariable regions and an unusual case of evolution, 165
Recombination by resolvase is inhibited by *lac* repressor simultaneously binding operators between *res* sites, 505
Regulation of α operon gene expression in *Escherichia coli*; a novel form of translational coupling, 333
Regulation, positive, of the *Escherichia coli* L-rhamnose operon is mediated by the products of tandemly repeated regulatory genes, 789
Regulation of the promoter of the gene for the NADH-dependent nitrite reductase of *Escherichia coli*, by oxygen, the Fnr protein and nitrite, 781
Reines, D., Wells, D., Chamberlin, M. J. & Kane, C. M., Identification of intrinsic termination sites *in vitro* for RNA polymerase II within eukaryotic gene sequences, 299
Repair patches, DNA, can be completely randomized in intact human cells by limited nucleosome migration, 433
Replication intermediate of *Bacillus subtilis*, breakdown and quantitation of the forked termination, 721
Replication, plasmid, stimulates DNA recombination in *Bacillus subtilis*, 39
Resolvase recombination is inhibited by *lac* repressor simultaneously binding operators between *res* sites, 505
Restriction gene cassette, *Dpn*II, encoded proteins; two methylases and an endonuclease, 457
L-Rhamnose operon, *Escherichia coli*, positive regulation is mediated by the products of tandemly repeated regulatory genes, 789
Rheologic behavior of deoxyhemoglobin S gels, 421
Rhizopus chinensis, structure and refinement at 1·8 Å resolution of aspartic proteinase, 877
Ribonuclease A binding to cytidylic acid (2′-CMP), X-ray refinement study, 159
RNA polymerase, *Escherichia coli*, isolation and properties of transcribing ternary complexes positioned at a single template base, 85
RNA polymerase II, *in vitro* identification of intrinsic termination sites within eukaryotic gene sequences, 299
RNA, pre-ribosomal, *Tetrahymena thermophila*, 5′ exon requirement for self-splicing, 49
RNA, pre-ribosomal, *Tetrahymena thermophila*, origin of the phosphate at the ligation junction produced by self-splicing, 217
RNA regulatory site, secondary structures in the presence and absence of S4; S4–α mRNA translation regulation complex, 323
RNA, 23 S *Escherichia coli*, structure and accessibility of domain I in free RNA, in the L24–RNA complex and in 50 S subunits, 125
RNase-A-resistant regions of adenovirus 2 major late precursor-mRNA in splicing extracts, analysis reveals an ordered interaction of nuclear components with the substrate RNA, 559
Ribosomal exit site, destabilization of codon–anticodon interaction, 137
Ribosomal RNA chromatin, extrachromosomal, of *Physarum polycephalum*; structure, 829
Ribosomal RNA gene organization, unusual, in copepods of the genus *Calanus*, 943
rRNA 5 S genes, *Neurospora crassa*, transcription requires a TATA box and three internal elements, 801
Ribosomal RNA, trypanosome, precise identification of cleavage sites involved in unusual processing, 113
Ribosomal transcription in *Xenopus laevis* is enhanced by a complex array of sequences, 813
Ribosomal translocation mechanism: tRNA binds transiently to an exit site before leaving the ribosome during translocation, 525
Richards, G. (see also Mettling, C.), 223
Riede, I. (see also Montag, D.), 165
Ringe, D. (see also Stoddard, B.), 441
Robert, C. H. (see also Doyle, M. L.), 927
Roberts, S. B., Sanicola, M., Emmons, S. W. & Childs, G., Molecular characterization of the histone gene family of *Caenorhabditis elegans*, 27
Robertson, J. M. & Wintermeyer, W., Mechanism of ribosomal translocation. tRNA binds transiently to an exit site before leaving the ribosome during translocation 525
Rop protein, ColE1, structure at 1·7 Å resolution, 657
Rowe, D. B. (see also Hanley, P. J. B.), 721
Rowlands, D. (see also Fox, G.), 591
Rule, S. A. (see also Delucas, L. J.), 741
Rush, M. (see also Misra, R.), 233

S4–α mRNA translation repression complex. Thermodynamics of formation, 313
S4–α mRNA translation regulation complex. Secondary structures of the RNA regulatory site in the presence and absence of S4, 323
Saldanha, R., Flanagan, P. & Fennewald, M., Recombination by resolvase is inhibited by *lac* repressor simultaneously binding operators between *res* sites, 505
Salt-titration resolution of three transitions in nucleosomes; spectroscopic studies on histone–DNA interactions, 399
Samallo, J. (see also Van Het Schip, F. D.), 245
Sandman, K. (see also Donovan, W.), 1
Sanicola, M. (see also Roberts, S. B.), 27
Sarkar, N. (see also Karnik, P.), 347
Sasse-Dwight, S. (see also Borowiec, J. A.), 101
Sasvari-Szekely, M. (see also Karnik, P.), 347
Schaumann, T. (see also Wagner, G.), 611

Scheraga, H. A. (see also Purisima, E. D.), 697
Schirmer, T., Bode, W. & Huber, R., Refined three-dimensional structures of two cyanobacterial C-phycocyanins at 2·1 and 2·5 Å resolution. A common principle of phycobilin–protein interaction, 677
Schleif, R. F. (see also Tobin, J. F.), 789
Schmid, C. W. (see also Misra, R.), 233
Self-splicing of the *Tetrahymena thermophila* pre-ribosomal RNA; 5′ exon requirement, 49
Self-splicing of *Tetrahymena thermophila* pre-ribosomal RNA, origin of the phosphate at the ligation junction, 217
Sequences, amino acid, globin, unique features; determinants of a protein fold, 199
Sequence, ancestral, functional, determination; definition of the 5′ end of A-type mouse L1 elements, 757
Sequences, a complex array enhances ribosomal transcription in *Xenopus laevis*, 813
Sequences, DNA, of the phage and host regions involved in site-specific recombination; integration of satellite bacteriophage P4 in *Escherichia coli*, 487
Sequence of the *Drosophila melanogaster* calmodulin gene, 471
Sequence, nucleotide, of a chicken vitellogenin gene and derived amino acid sequence of the encoded yolk precursor protein, 245
Sequence, palindrome, effect on genetic stability in the bacteriophage ϕX174 genome, 743
Sequences, polyadenylate, 3′-terminal, of *Escherichia coli* tryptophan synthetase α-subunit mRNA, 347
Sequence of the promoter of the gene for the NADH-dependent nitrite reductase of *Escherichia coli* and its regulation by oxygen, the Fnr protein and nitrite, 781
sgs3 gene, *Drosophila*; *in-vivo* test of intron function, 223
Shehee, W. R., Chao, S.-F., Loeb, D. D., Comer, M. B., Hutchison, C. A., III. & Edgell, M. H., Determination of a functional ancestral sequence and definition of the 5′ end of A-type mouse L1 elements, 757
Sheriff, S. (see also Suguna, K.), 877
Shibata, H., Fujisawa, H. & Minagawa, T., Characterization of the bacteriophage T3 DNA packaging reaction *in vitro* in a defined system, 845
Shih, A. (see also Misra, R.), 233
Shuvalova, L. A. (see also Podlubnaya, Z. A.), 729
Side-chain orientations in homologous proteins; analysis, 175
Small nuclear RNAs in fungi and plants; high level of complexity, 355
Smerdon, M. J. (see also Arnold, G. E.), 433
Smith, V. L., Doyle, K. E., Maune, J. F., Munjaal, R. P. & Beckingham, K., Structure and sequence of the *Drosophila melanogaster* calmodulin gene, 471
Soda, K. (see also Stoddard, B.), 441
Sogo, J. M. (see also Lucchini, R.), 829
SOS and RecA protein. Correlation of mutagenesis phenotype with binding of mutant RecA proteins to duplex DNA and LexA cleavage, 497
Spaan, W. J. M. (see also De Groot, R. J.), 963
Spectroscopic studies on histone–DNA interactions; the interaction of histone (H2A, H2B) dimer with DNA; DNA sequence dependence, 389
Spectroscopic studies on histone–DNA interactions. Three transitions in nucleosomes resolved by salt-titration, 399
Spectroscopic titration, multidimensional, 395
Spike proteins of coronaviruses, evidence for a coiled-coil structure, 963
Spinach and pea chloroplast genomes, a gene cluster encoding one CF_1 and three CF_0 subunits of the H^+-ATP synthase complex and the ribosomal protein S2, 283
Spore coat polypeptides from *Bacillus subtilis*; encoding genes, 1
Springhorn, S. S. (see also De La Campa, A. G.), 457
Sterner, R. (see also Allegra, P.), 379
Stoddard, B., Howell, L., Asano, S., Soda, K., Tanizawa, K., Ringe, D. & Petsko, G. A., Preliminary X-ray data for a D-amino acid amino-transferase from a novel thermophilic *Bacillus*, 441
Structural analysis of the *Escherichia coli trp* leader paused transcription complex, 363
Structural analysis of myosin binding to actin, using myosin fragments, 955
Structural asymmetry in the CTP-liganded form of aspartate carbamoyltransferase from *Escherichia coli*, 853
Structural organization of the 5′ region of the thyroglobulin gene. Evidence for intron loss and "exonization" during evolution, 769
Structure and accessibility of domain I of *Escherichia coli* 23 S RNA in free RNA, in the L24–RNA complex and in 50 S subunits, 125
Structures, canonical, for the hypervariable regions of immunoglobulins, 901
Structures, coiled-coil, in the spike proteins of coronaviruses, 963
Structure of the ColE1 Rop protein at 1·7 Å resolution, 657
Structure of the extrachromosomal ribosomal RNA chromatin of *Physarum polycephalum*, 829
Structure of microtubules with reduced hydration. Comparison of results from X-ray diffraction and electron microscopy, 575
Structures, protein, in solution, by n.m.r. and distance geometry; the polypeptide fold of the basic pancreatic trypsin inhibitor determined using two different algorithms, DISGEO and DISMAN, 611
Structure of the rat L-type pyruvate kinase gene, 11
Structure and refinement at 1·8 Å resolution of the aspartic proteinase from *Rhizopus chinensis*, 877
Structures, secondary, of the RNA regulatory site in the presence and absence of S4; S4–α mRNA translation regulation complex, 323
Structure and sequence of the *Drosophila melanogaster* calmodulin gene, 471
Structure, subunit, of canine myeloperoxidase, 919
Structure, tertiary, of azurin from *Pseudomonas denitrificans* as determined by Cu resonant diffraction using synchrotron radiation, 413
Structures, three-dimensional, refined, of two cyanobacterial C-phycocyanins at 2·1 Å and 2·5 Å resolution, 677
Stubbs, G. (see also Beese, L.), 575
Stubbs, G. (see also Lobert, S.), 935
Stuart, D. (see also Fox, G.), 591
Subramanian, E. (see also Suguna, K.), 877
Suguna, K., Bott, R. R., Padlan, E. A., Subramanian, E., Sheriff, S., Cohen, G. H. & Davies, D. R., Structure and refinement at 1·8 Å resolution of the aspartic proteinase from *Rhizopus chinensis*, 877
Summers, N. L., Carlson, W. D. & Karplus, M., Analysis of side-chain orientations in homologous proteins, 175
Supercoiling promotes formation of a bent repression loop in *lac* DNA, 101
Surface of monomeric proteins, 641
Synchrotron radiation, use in determination by Cu resonant diffraction of the tertiary structure of azurin from *Pseudomonas denitrificans*, 413

T3 (see also Bacteriophage), 845
T7 (see also Bacteriophage), 61
T-even (see also Bacteriophages), 165
Takasugi, M. (see also Praseuth, D.), 939
Takeda, Y. (see also Kim, J. G.), 149
Taljanidisz, J. (see also Karnik, P.), 347
Tanizawa, K. (see also Stoddard, B.), 441
Telomere, poxvirus, cruciform extrusion in plasmids bearing the replicative intermediate configuration, 541
Termination, forked, of replication intermediate of *Bacillus subtilis*, breakdown and quantitation, 721
Termination sites, identification *in vitro* for RNA polymerase II within eukaryotic gene sequences, 299
Ternary complexes, transcribing, of *Escherichia coli* RNA polymerase positioned at a single template base, isolation and properties, 85
Tetrahymena thermophila pre-ribosomal RNA, 5′ exon requirement for self-splicing, 49
Tetrahymena thermophila pre-ribosomal RNA, origin of the phosphate at the ligation junction produced by self-splicing, 217
THE-1, human transposable element, cloned extrachromosomal circular DNA copies are related predominantly to a single type of family member, 233

Thermodynamics of S4–α mRNA translation repression complex formation, 313
Thermophilic *Bacillus*, novel, preliminary X-ray data for a D-amino acid aminotransferase, 441
THOMAS, J. (see also BEESE, L.), 575
THOMAS, M. S., BEDWELL, D. M. & NOMURA, M., Regulation of α operon gene expression in *Escherichia coli*. A novel form of translational coupling, 333
THONG, N. T. (see also Praseuth, D.), 939
3′-terminal polyadenylate sequences of *Escherichia coli* tryptophan synthetase α-subunit mRNA, 347
Thyroglobulin gene, structural organization of the 5′ end; evidence for intron loss and "exonization" during evolution, 769
Tobacco necrosis virus (see also Virus), 961
TOBIN, J. F. & SCHLEIF, R. F., Positive regulation of the *Escherichia coli* L-rhamnose operon is mediated by the products of tandemly repeated regulatory genes, 789
TOLLERVEY, D., High level of complexity of small nuclear RNAs in fungi and plants, 355
Transcribing ternary complexes of *Escherichia coli* RNA polymerase positioned at a single template base, isolation and properties, 85
Transcription of *Neurospora crassa* 5 S rRNA genes requires a TATA box and three internal elements, 801
Transcription pausing: isolation and structural analysis of the *Escherichia coli trp* leader paused transcription complex, 363
Transcription, ribosomal, in *Xenopus laevis* is enhanced by a complex array of sequences, 813
Transcriptional pause sites in the early genetic region of bacteriophage T7, mapping and characterization, 61
Transcriptionally active nucleosomes, affinity chromatographic purification, 379
Transfer RNA binds transiently to an exit site before leaving the ribosome during translocation, 525
Translation in mammalian cells is enhanced by at least six nucleotides preceding the AUG initiator codon, 947
Translational coupling, a novel form; regulation of α operon gene expression in *Escherichia coli*, 333
Translocation, ribosomal, mechanism: tRNA binds transiently to an exit site before leaving the ribosome during translocation, 525
trp leader paused transcription complex, isolation and structural analysis, 363
Trypanosome rRNA, precise identification of cleavage sites involved in unusual processing, 113
Tryptophan synthetase α-subunit mRNA, *Escherichia coli*; 3′-terminal polyadenylate sequences, 347
TSANEV, R. (see also AVRAMOVA, Z.), 437
TSERNOGLOU, D. (see also BANNER, D. W.), 657
TSUKIHARA, T. (see also FUKUYAMA, K.), 961
TYLER, B. M., Transcription of *Neurospora crassa* 5 S rRNA genes requires a TATA box and three internal elements, 801

VAN HET SCHIP, F. D., SAMALLO, J., BROOS, J., OPHUIS, J., MOJET, M., GRUBER, M. & AB, G., Nucleotide sequence of a chicken vitellogenin gene and derived amino acid sequence of the encoded yolk precursor protein, 245
VAŠÁK, M., WÖRGÖTTER, E., WAGNER, G., KÄGI, J. H. R. & WÜTHRICH, K., Metal co-ordination in rat liver metallothionein-2 prepared with or without reconstitution of the metal clusters, and comparison with rabbit liver metallothionein-2, 711
VASSART, G. (see also PARMA, J.), 769
VAULONT, S. (see also COGNET, M.), 11
Vegetative promoter, identification in *Myxococcus xanthus*; a protein that has homology to histones, 517
Vertebrate genomes, CpG islands, 261
VIBERT, P. (see also CASTELLANI, L.), 955
Virus, cucumber green mottle mosaic, watermelon strain, preliminary X-ray fiber diffraction studies, 935
Virus, foot-and-mouth disease, crystallization and preliminary X-ray diffraction analysis, 591
Virus, tobacco necrosis, crystallization and preliminary X-ray diffraction studies, 961
Vitellogenin gene, chicken, nucleotide sequence, and derived amino acid sequence of the encoded yolk precursor protein, 245
VOLANAKIS, J. E. (see also DELUCAS, L. J.), 741

WADA, A. (see also OOHARA, I.), 389, 399
WAGNER, G., BRÜHWILER, D. & WÜTHRICH, K., Reinvestigation of the aromatic side-chains in the basic pancreatic trypsin inhibitor by heteronuclear two-dimensional nuclear magnetic resonance, 227
WAGNER, G., BRAUN, W., HAVEL, T. F., SCHAUMANN, T., GŌ, N. & WÜTHRICH, K., Protein structures in solution by nuclear magnetic resonance and distance geometry. The polypeptide fold of the basic pancreatic trypsin inhibitor determined using two different algorithms, DISGEO and DISMAN, 611
WAGNER, G. (see also VAŠÁK, M.), 711
WAKE, R. G. (see also HANLEY, P. J. B.), 721
WELLS, D. (see also REINES, D.), 299
WHITFIELD, P. R. (see also HUDSON, G. S.), 283
WILLIAMS, W. L. & MÜLLER, U. R., Effects of palindrome size and sequence on genetic stability in the bacteriophage ϕX174, genome, 743
WINKELMANN, D. A. (see also CASTELLANI, L.), 955
WINTERMEYER, W. (see also LILL, R.), 137
WINTERMEYER, W. (see also ROBERTSON, J. M.), 525
WOLBERGER, C. & HARRISON, S. C., Crystallization and X-ray diffraction studies of a 434 Cro–DNA complex, 951
WONG, E. (see also MISRA, R.), 233
WÖRGÖTTER, E. (see also VÁSÁK, M.), 711
WÜTHRICH, K. (see also WAGNER, G.), 227, 611
WÜTHRICH, K. (see also VÁSÁK, M.), 711

Xenopus laevis, a complex array of sequences enhances ribosomal transcription, 813
X-ray data, preliminary, for a D-amino acid aminotransferase from a novel thermophilic *Bacillus*, 441
X-ray diffraction analysis, preliminary, of foot-and-mouth disease virus, 591
X-ray diffraction and electron miscroscopy, a comparison; structure of microtubules with reduced hydration, 575
X-ray diffraction studies of a 434 Cro–DNA complex, 951
X-ray diffraction studies, preliminary, of tobacco necrosis virus, 961
X-ray fiber diffraction studies, preliminary, of cucumber green mottle mosaic virus, watermelon strain, 935
X-ray refinement study on the binding of cytidylic acid (2′-CMP) to ribonuclease A, 159
X-ray study, preliminary, of crystals of human C-reactive protein, 741

YANOFSKY, C. (see also LANDICK, R.), 363
Yolk precursor protein, amino acid sequence, 245

ZEIJST, B. A. M. (see also DE GROOT, R. J.), 963
ZHANG, L. (see also BOROWIEC, J. A.), 101
ZHENG, L. (see also DONOVAN, W.), 1